Delivered under Contract DAAE07-01-D-S014, Delivery Order #64, CLIN 0780AA.




Approved for public release: distribution is unlimited


maintaining the data needed, and including suggestions for reducin	completing and reviewing the colle of this burden, to Washington Head ould be aware that notwithstanding	ection of information. Send comme quarters Services, Directorate for In	nts regarding this burden estir nformation Operations and Re	nate or any other aspec eports, 1215 Jefferson I	g existing data sources, gathering and t of this collection of information, Davis Highway, Suite 1204, Arlington with a collection of information if it
1. REPORT DATE 2. REPORT TYPE N/A				3. DATES COVERED	
4. TITLE AND SUBTITLE HEMTT Field of		5a. CONTRACT NUMBER DAAE07-01-D-D014			
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Oshkosh Truck Corporation				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) USATACOM 6501 E 11 Mile Rd Warren, MI 48397-5008				10. SPONSOR/MONITOR'S ACRONYM(S) TACOM TARDEC	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S) 16650	
12. DISTRIBUTION/AVA Approved for pub	ILABILITY STATEMENT lic release, distribu	tion unlimited			
13. SUPPLEMENTARY N The original docum	OTES ment contains color	images.			
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFIC		17. LIMITATION	18. NUMBER	19a. NAME OF	
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	OF ABSTRACT SAR	OF PAGES 20	RESPONSIBLE PERSON

Report Documentation Page

Form Approved OMB No. 0704-0188




FRONT VIEW



FRONT VIEW

95% SOLDIER (RED) SHOWN IN MAXIMUM UPPER SEAT POSITION.

5% SOLDIER (BLUE) SHOWN IN MAXIMUM LOWER SEAT POSITION.




FRONT VIEW, DRIVER ONLY

THE ABOVE VIEW SHOWS THE COMBINED MAXIMUM VISUAL FIELDS FOR A 5% SOLDIER (BLUE) AND A 95% SOLDIER (RED), AS DEFINED IN MIL-STD-1472. THE VISUAL FIELDS ARE, IN THIS VIEW, LIMITED BY THE TOP AND BOTTOM OF THE SIDE WINDOWS.

95% SOLDIER (RED) SHOWN IN MAXIMUM UPPER SEAT POSITION.

5% SOLDIER (BLUE) SHOWN IN MAXIMUM LOWER SEAT POSITION.




FRONT VIEW, DRIVER AND ASSISTANT DRIVER


THE ABOVE VIEW SHOWS THE COMBINED MAXIMUM VISUAL FIELDS FOR A 5% SOLDIER (BLUE) AND A 95% SOLDIER (RED), AS DEFINED IN MIL-STD-1472. THE VISUAL FIELDS ARE, IN THIS VIEW, LIMITED BY THE TOP AND BOTTOM OF THE SIDE WINDOWS.

95% SOLDIER (RED) SHOWN IN MAXIMUM UPPER SEAT POSITION.

5% SOLDIER (BLUE) SHOWN IN MAXIMUM LOWER SEAT POSITION.




LEFT SIDE VIEW (DRIVER'S SIDE)



LEFT SIDE VIEW (DRIVER'S SIDE)

95% SOLDIER (RED) SHOWN IN MAXIMUM UPPER FRONT AND REAR SEAT POSITIONS.

5% SOLDIER (BLUE) SHOWN IN MAXIMUM LOWER FRONT AND REAR SEAT POSITIONS.




LEFT SIDE VIEW (DRIVER'S SIDE)


THE ABOVE VIEW SHOWS THE COMBINED MAXIMUM VISUAL FIELDS FOR A 5% SOLDIER (BLUE) AND A 95% SOLDIER (RED), AS DEFINED IN MIL-STD-1472. THE VISUAL FIELDS ARE, IN THIS VIEW, LIMITED BY THE TOP OF THE WINDSHIELD AND THE STEERING WHEEL.

95% SOLDIER (RED) SHOWN IN MAXIMUM UPPER FRONT AND REAR SEAT POSITIONS.

5% SOLDIER (BLUE) SHOWN IN MAXIMUM LOWERFRONT AND REAR SEAT POSITIONS.




REAR VIEW



REAR VIEW

95% SOLDIER (RED) SHOWN IN MAXIMUM UPPER SEAT POSITION.

5% SOLDIER (BLUE) SHOWN IN MAXIMUM LOWER SEAT POSITION.




REAR VIEW, DRIVER ONLY

THE ABOVE VIEW SHOWS THE COMBINED MAXIMUM VISUAL FIELDS FOR A 5% SOLDIER (BLUE) AND A 95% SOLDIER (RED), AS DEFINED IN MIL-STD-1472. THE VISUAL FIELDS ARE, IN THIS VIEW, LIMITED BY THE TOP AND BOTTOM OF THE SIDE WINDOWS.

95% SOLDIER (RED) SHOWN IN MAXIMUM UPPER SEAT POSITION.

5% SOLDIER (BLUE) SHOWN IN MAXIMUM LOWER SEAT POSITION.




REAR VIEW, DRIVER AND ASSISTANT DRIVER


THE ABOVE VIEW SHOWS THE COMBINED MAXIMUM VISUAL FIELDS FOR A 5% SOLDIER (BLUE) AND A 95% SOLDIER (RED), AS DEFINED IN MIL-STD-1472. THE VISUAL FIELDS ARE, IN THIS VIEW, LIMITED BY THE TOP AND BOTTOM OF THE SIDE WINDOWS.

95% SOLDIER (RED) SHOWN IN MAXIMUM UPPER SEAT POSITION.

5% SOLDIER (BLUE) SHOWN IN MAXIMUM LOWER SEAT POSITION.




RIGHT SIDE VIEW (ASSISTANT DRIVER'S SIDE)



RIGHT SIDE VIEW (ASSISTANT DRIVER'S SIDE)

95% SOLDIER (RED) SHOWN IN MAXIMUM UPPER FRONT AND REAR SEAT POSITIONS.

5% SOLDIER (BLUE) SHOWN IN MAXIMUM LOWER FRONT AND REAR SEAT POSITIONS.




RIGHT SIDE VIEW, (ASSISTANT DRIVER'S SIDE)


THE ABOVE VIEW SHOWS THE COMBINED MAXIMUM VISUAL FIELDS FOR A 5% SOLDIER (BLUE) AND A 95% SOLDIER (RED), AS DEFINED IN MIL-STD-1472. THE VISUAL FIELDS ARE, IN THIS VIEW, LIMITED BY THE TOP OF THE WINDSHIELD AND THE DASH.

95% SOLDIER (RED) SHOWN IN MAXIMUM UPPERFRONT AND REAR SEAT POSITIONS.

5% SOLDIER (BLUE) SHOWN IN MAXIMUM LOWER FRONT AND REAR SEAT POSITIONS.




TOP VIEW



TOP VIEW


95% SOLDIER (RED) SHOWN IN MAXIMUM FRONT AND REAR SEAT POSITIONS.



TOP VIEW, DRIVER ONLY

THE ABOVE VIEW SHOWS THE DRIVER'S MAXIMUM VISUAL FIELD AS DEFINED IN MIL-STD-1472, LIMITED BY THE SIDES OF THE WINDSHIELD, THE SIDE WINDOWS, NORMAL HEAD ROTATION TO THE DRIVER'S LEFT, AND EQUIPMENT MOUNTED ON THE BACK WALL (FIRE EXTINGUISHER) TO THE DRIVER'S RIGHT.

95% SOLDIER (RED) SHOWN IN MAXIMUM FRONT AND REAR SEAT POSITIONS.



TOP VIEW, DRIVER AND ASSISTANT DRIVER

THE ABOVE VIEW SHOWS THE DRIVER'S MAXIMUM VISUAL FIELD AS DEFINED IN MIL-STD-1472, LIMITED BY THE SIDES OF THE WINDSHIELD, THE SIDE WINDOWS, NORMAL HEAD ROTATION TO THE DRIVER'S LEFT, AND THE ASSISTANT DRIVER TO THE DRIVER'S RIGHT .

95% SOLDIER (RED) SHOWN IN MAXIMUM FRONT AND REAR SEAT POSITIONS.

EXAMPLES OF POOR INSTALLATION PRACTICES

(DRIVER LOOKING RIGHT)

(ASSISTANT DRIVER LOOKING LEFT)



Completed 7/18/03